### smartVAC

The Newest Vacuum
Sealers for VACUUM
packaging your products

Select the model with the built in features that fit your packaging process.

#### smartVAC MODEL 1

Vacuum - Seal Seal Only

#### smartVAC MODEL 2

Vacuum - Seal Gas - Vacuum - Seal Seal Only

#### smartVAC MODEL 3

Multiple Seal Modes (6), with multi cycle (1-99), Independent Vac1 & Vac2 and Gas1 & Gas2 times as well as Seal Only mode.

CALL TODAY & REQUEST A QUOTE 1-800-452-6040 / 760-591-9800

Visit our website www.ACCU-SEAL.COM

## It's All American

# Outstanding Value Unmatched product quality & loaded with standard features

We asked our customers what they wanted and the result is the **New smartVAC ACCU-SEAL's new 675 series of Impulse Heat Vacuum sealers built to meet your needs.** We tried to think of everything. Build it tough to handle any production environment and have user friendly controls that operators can learn in minutes. Open ended seal bars and retractable vacuum nozzle for production speed and load it with standard features and include an emergency stop switch. Beat the competition with Quality, Pricing and Delivery time.



This New ECONOMICAL "smartVAC" vacuum sealer is designed and built in the USA using the highest quality components and materials to provide you with unmatched product quality and trouble free performance at a great price.

We are so proud of this new machine we back it with a 2 year limited warranty on parts and labor.

We want to offer you the best possible pricing and delivery available so we have designed three models in this 675 *smartVAC* Series. Designed so you can easily select the machine with the features you need eliminating costly custom add-on's and lengthy delivery time.

This **smartVAC**uum sealer is designed for use on a Table top or a stand and is available with a product support tray.



#### smartVAC Vacuum Sealers

#### **CLEANROOM FEATURES**

- Non-Particle Generating Venturi
  - Vacuum System
- Isolated Exhaust Port

#### STANDARD FEATURES

- Retractable vacuum nozzle
- smartVAC Control Pad with easy to read large character LCD display
- Open ended Seal bars with ¼" wide heating element
- Electronic Foot switch Activation
- Manual (foot switch) advance of digital timers
- E-Stop Button & Low pressure close with Jaw Obstruction Safety feature
- Pressure Regulator and Gauge
- Vacuum Gauge
- Manual Purge to clear nozzles (Gas models)
- Seal Count
- Rigid Steel Case with Powder coat Finish

#### **SELECTABLE SEALING MODES BY MODEL**

#### **MODEL 1- Vacuum Sealer**

Vacuum - Seal

Seal Only

#### MODEL 2 - Gas-Vac-Sealer

Vac- Seal

Gas-Vac-Seal

Seal Only

#### MODEL 3 - Gas- Vac-Sealer with Multiple Operating Modes

Vac-Seal

Gas-Vac-Seal

Vac-Gas- Seal

Vac1-Gas1 (1-99) + Vac2- Seal

Gas1-Vac1 (1-99) + Gas2-Seal

Seal Only

#### **FACTORY OPTIONS**

- 3/8" Seal width
- Vacuum Moisture Particle Filter
- 220V
- CE Certification

#### **OPTIONAL ACCESSORIES**

- Ergonomic Multi-Position Machine Stand
- Product Support Tray
- Exhaust Silencer
- Industrial Air Compressor

#### **SPECIFICATIONS**

Seal lengths: 20", 25", 30"

• Seal Width: ¼" Standard

· Vacuum Pressure: Up to 26in HG standard

• Suction Flow: 1.5 CFM

#### **REQUIREMENTS**

Power: 120 Vac, 10A (20"model)
 220Vac, 5A (20" model)

• Air: Requires Compressed Air Source 2.4 CFM @ 90PSI

Foot Print: Length: Seal length + 3.5", Depth: 16", Height: 8"

Case Dim.: Length: 20", Depth: 13", Height 8"

Approximate Weight: 50 Lbs

FEATURES AND SPECIFICATIONS
SUBJECT TO CHANGE WITHOUT NOTICE



#### TWO YEAR LIMITED WARRANTY

The Accu-Seal *smart*VAC 675 Series Vacuum Sealers are designed, built and tested to give years or reliable, trouble free performance. Since 1971, all Accu-Seal products have been manufactured with Pride in the U.S.A.



User friendly controls that operators can learn to use in minutes

Quick and easy to maintain, we even added on-board diagnostic tools in the **smartVAC** keypad.

Open ended Seal bars and retractable vacuum nozzle enhance production speed



225 Bingham Dr. #B San Marcos, Ca 92069 800-452-6040 . 760-591-9800

www.accu-seal.com email: info@accu-seal.com